



Product Name: DEXTÖR ATF MB 236.17

Application: Automatic Transmission Fluid

Quality: Fully synthetic

Recommended for: Mercedes-Benz 9G-Tronic (W9A 700 / NAG3) automatic transmissions where MB 236.17 fluid is specified. Suitable for SsangYong vehicles and other models requiring MB 236.17 or MB 236.16 fluids. Not suitable for transmissions requiring older specifications such as MB 236.10, 236.12, 236.14, or 236.15

Drain Interval: up to 90,000 km

Product Overview

DEXTÖR ATF MB 236.17 is a fully synthetic, low-viscosity automatic transmission fluid formulated specifically for Mercedes-Benz 9-speed automatic transmissions (9G-Tronic W9A 700 series, also known as NAG3). This fluid meets the stringent requirements of MB 236.17 and is backward compatible with MB 236.16 specifications. Its advanced formulation ensures excellent performance, significant fuel savings, and enhanced durability under various operating conditions.

Application

- Designed for the newest Mercedes-Benz 9G-Tronic automatic transmissions (W9A 700 series/NAG3).
- Suitable for vehicles requiring MB 236.17 specification and backward compatible with MB 236.16.
- Recommended for use in SsangYong vehicles with MB 236.17 specifications.
- Not compatible with older specifications such as MB 236.10, 236.12, 236.14, and 236.15

Performance Benefits

- **Exceptional Fuel Efficiency:** Supports demand-driven oil supply, reducing energy loss and enhancing fuel savings.
- **Smooth Gear Shifting:** Ensures jerk-free operation for a comfortable driving experience.
- **Extended Durability:** High resistance to thermal degradation and aging for prolonged service life.
- **Advanced Wear Protection:** Minimizes wear on friction pairs and transmission components.
- **Wide Temperature Stability:** Delivers optimal performance in extreme temperature conditions, from cold winters to hot summers.
- **Seal Compatibility:** Prevents swelling, hardening, and shrinkage of seals, reducing maintenance costs.
- **Corrosion Resistance:** Protects metal components from wear and rust, ensuring long-term reliability.

Meets and Approvals

- **Specifications:** MB 236.17, MB 236.16
- **Recommended For:** Mercedes-Benz, SsangYong 9G-Tronic transmissions

Typical Properties

Property	Typical Value	Unit	Method
----------	---------------	------	--------





Color	ASTM D1500	-	Yellow
Density @ 15°C	ASTM D4052	g/ml	0.8465
Kinematic Viscosity @ 40°C	ASTM D445	mm ² /s	21.97
Kinematic Viscosity @ 100°C	ASTM D445	mm ² /s	5.000
Viscosity Index	ASTM D2270	-	162
Pour Point	ASTM D6892	°C	-48
Flash Point	ASTM D92	°C	218

Storage and Handling

Store in a cool, dry place away from direct sunlight. Ensure the product is sealed properly when not in use to maintain its performance characteristics.

Health and Safety

Refer to the Material Safety Data Sheet (MSDS) for detailed health and safety information. Handle used fluid responsibly to protect the environment.

